EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	405	(cut near2 through) and ((ip or internet protocol) near3 address) and @ad< "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/29 10:20
L2	68	(cut near2 through) same ((ip or internet protocol) near2 address) and @ad< "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/29 10:21
S12	108023	Router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/09 12:07
S15	49648	S12 and switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/09 12:08
S16	331	S15 and (routing adj processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/09 12:10
S17	148	S16 and @py< "2004"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/09 13:58
S22	5789	370/401.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/10 12:05
S23	2455	S22 and @py< "2004"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/10 12:06
S24	71	S22 and (routing adj engine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/10 12:07

S25	32	S24 and @py<"2004"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/10 12:17
S26	347	370/461.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/10 12:17
S30	3	S23 and layer2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/10 12:28
S31	4427	370/389.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/10 12:28
S32	12	S31 and layer2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/10 12:31
S33	339	370/451.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/10 12:31
S36	5658	370/352.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/10 12:33
S37	2064	S36 and @py<"2004"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/10 12:33
S38	2	S37 and layer2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/10 12:33
S39	4	Layer2 with forward$ adj engine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/14 17:01

S43	1	Layer2 with (forward$ adj engine and switch$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/14 17:02
S44	1	Layer2 with (engine and switch$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/14 17:03
S45	0	Layer2 with rout$3 adj2 engine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/14 17:04
S46	0	Layer2 with routing adj2 engine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/14 17:05
S47	84	Layer2 and engine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/14 17:08
S48	45	S47 and @py< "2004"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/14 17:06
S49	4	Layer2 with engine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/14 17:11
S50	8	Layer2 and (frames adj3 routing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/14 17:11
S51	364	((round adj robin adj algorithm) same (load adj distribution algorithm)) and ("370"/$.ccls. or "709"/$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/03 09:27
S53	1	S51 and ((router near2 (coup$3 or connect$3)) with (switch adj fabric))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/03 09:33

S54	1	S51 and ((router near2 (coupl$3 or connect$3 or interfac$3)) with (switch adj fabric))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/03 09:36
S55	8	S51 and ((router near8 (coupl$3 or connect$3 or interfac$3)) with (switch adj fabric))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/03 09:37
S56	2	S55 and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/03 09:37
S57	5221751	layer "3" near4 rout$5 engine and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/09 09:16
S58	5	layer "3" near4 rout$5 engine and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/09 09:17
S59	73	layer "3" near4 engine and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/09 09:30
S60	4	layer "3" near4 engine and layer "2" engine and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/09 09:30
S61	18	router same intelligent near4 port and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/09 09:42
S62	0	router and intelligent near4 port and decentraliz $5 near6 process$5 and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/09 09:46

S63	87	router and decentraliz$5 near6 process$5 and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/09 09:46
S64	0	router and decentraliz$5 near6 process$5 and intelligent near4 port and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/09 09:47
S65	4	router and decentraliz$5 near6 process$5 and (rout $5 or forward$5) near6 engine and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/09 09:48
S66	4	router and decentraliz$5 near6 process$5 and layer "2" and Layer "3" and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/09 09:50
S67	0	layer2 near4 engine and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/09 10:04
S68	141	layer "2" near4 engine and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/09 10:05
S69	2	layer "2" near4 engine and layer "3" engine and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/09 10:05
S70	12	forward$5 same layer "3" near4 engine and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/09 12:48
S71	0	(layer "3" layer "2") near4 engine and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/09 13:04

S72	20	layer "3" near4 engine and layer "2" near4 engine and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/09 13:05
S73	0	forward$5 near6 layer "3" and forwrd$5 layer "2" and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/09 13:19
S74	23	forward$5 near6 layer "3" and forward$5 layer "2" and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/09 13:19
S75	8547	((layer near2 "2") near3 (module or element or device)) and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/26 19:00
S76	8	((layer near2 "2") near3 (module or element or device)) and (layer near2 "3" near3 (forward$3 near2 (engine or device or element or processor))) and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/26 19:05
S77	18	(router same (intelligent near4 port)) and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 09:32
S78	1	(router same (intelligent near4 port)) same forwar $3 same rout$3 same switch and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 09:33
S79	4	(router same (intelligent near4 port)) and forward $3 and rout$3 and switch and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 09:34
S80	1	(router same (intelligent near4 port)) and forward $3 and rout$3 and switch and (layer near2 "2") and (Layer near2 "3") and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 09:46

S81	6	(intelligent near4 port) and forward$3 and rout$3 and switch and (layer near2 "2") and (Layer near2 "3") and @ad< "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 09:46
S82	755	((router or device) near4 port) and forward$3 and rout$3 and switch and (layer near2 "2") and (Layer near2 "3") and @ad< "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 09:54
S83	643	((router or device) near4 port) and forward$3 and rout$3 and switch and (layer near2 "2") and (Layer near2 "3") and ("370"/$.ccls. or "709"/$.ccls. or "455"/$.ccls.) and @ad< "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 09:56
S84	16	((router or device) near4 port) and forward$3 and rout$3 and switch and (("no" near2 (mac or (layer near2 "2"))) near4 address) and (Layer near2 "3") and ("370"/$.ccls. or "709"/$.ccls. or "455"/$.ccls.) and @ad< "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 10:06
S85	378	((cut near2 through) near3 switch) and @ad< "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/14 13:55
S86	478	((cut near2 through) near3 (switch or router)) and @ad< "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/14 13:56
S87	0	((cut near2 through) near3 (switch or router)) same ((layer near2 "2") near2 (module or element)) and @ad< "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/14 13:57
S88	0	((cut near2 through) near3 (switch or router)) and ((layer near2 "2") near2 (module or element)) and @ad< "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/14 13:57

S89	0	((cut near2 through) near3 (switch or router)) and ((layer near2 "3") near2 (module or element)) and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/14 13:59
S90	59	((cut near2 through) near3 (switch or router)) and (layer near2 "2") and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/14 14:01
S91	30	((cut near2 through) near3 (switch or router)) and (layer near2 "2") and (layer near2 "3") and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/14 14:02
S92	19	((cut near2 through) near3 (switch or router)) and (layer near2 "2") and ((layer near2 "3") near4 rout$5) and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/14 14:03
S93	1	((cut near2 through) near3 (switch or router)) with (layer near2 "2") and ((layer near2 "3") near4 rout$5) and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/14 15:14
S94	0	((cut near2 through) near3 (rout$5 or forward$5)) same ((layer near2 "2") near3 frame) same ((layer near2 "3") near3 packet) and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/14 15:19
S95	3	((cut near2 through) near3 (rout$5 or forward$5)) and ((layer near2 "2") near3 frame) same ((layer near2 "3") near3 packet) and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/14 15:20
S96	4	((cut near2 through) near3 (rout$5 or forward$5)) and ((layer near2 "2") near3 frame) and ((layer near2 "3") near3 packet) and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/14 15:22
S97	227	(router near8 ((layer near2 "2") near4 (layer near2 "3"))) and @ad<"20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/14 15:29

S98	2	(cut near2 through) same (router near8 ((layer near2 "2") near4 (layer near2 "3"))) and @ad< "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/14 15:30
S99	5	(router near8 ((layer near2 "2") near4 (layer near2 "3"))) same ((forward$5 or rout$5) near2 engine) and @ad< "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/14 15:32
S101	106	((cut near2 through) with (switch or node or router)) with (layer or protocol) and @ad< "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/20 09:05
S102	90	((cut near2 through) near8 (switch or node or router)) with (layer or protocol) and @ad< "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/20 09:06
S103	77	((cut near2 through) near8 (switch or node or router)) near8 (layer or protocol) and @ad< "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/20 09:06
S104	27	((cut near2 through) near3 (switch or node or router)) near8 (layer or protocol) and @ad< "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/20 09:06
S105	160	((cut near2 through) with (switch or node or router)) same (layer or protocol) and @ad< "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/20 16:22
S106	6	((layer near2 "2") near3 ((layer near2 "3") near4 (forward$5 or rout$5))) and ((cut near2 through) with (switch or node or router)) same (layer or protocol) and @ad< "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/26 10:50

10/ 29/ 2009 1:32:42 PM
C:\ Documents and Settings\ sbokhari\ My Documents\ EAST\ Workspaces\ 10720898.wsp